

MAKHTESHIM-AGAN SA (PTY) LTD

MERPAN® SC

Reg No L 4668 Act / Wet 36 of 1947

A suspension concentrate fungicide seeddressing for the control of seed-borne diseases of crops as listed.

'n Suspensiekonsentraat swamdodende saadbehandelingsmiddel vir die beheer van saadgedraagde siektes van gewasse soos aangedui.

ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL

Captab (dicarboximide)

500 g / l

Kaptab (dikarboksimid)

NET VOLUME / NETTO VOLUME

..... l

REGISTRATION HOLDER / REGISTRASIEHOUER

Makhteshim-Agan SA (Pty) LTD

Reg No. 92/01741/07

21 Viben Street

Brackenfell

7560

Batch number

.....

Lotnommer

Date of Manufacture

.....

Datum van Vervaardiging

**MERPAN SC is the registered trademark of Makhteshim-Agan Israel.
MERPAN SC is die geregistreerde handelsmerk van Makhteshim-Agan, Israel.**

UN NR: 2902
(green / groen)



WARNINGS

Do not apply to seed which will be used for consumption

Store away from food and feed. Store in a cool, dry place and protect from excessive heat. Keep out of reach of children, unformed persons and animals.

Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will not be affected by factors such as abnormal climatic and storage conditions; quality of dilution water; compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

Wash thoroughly after use. Prevent contamination of food, feed, drinking water and eating utensils.

IMPORTANT: RINSINGS OF CONTAINER – TRIPPLE RINSE: Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of 10 % of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the prescribed manner. Destroy empty container by perforation and flattening and never use for any other purpose.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

Shake the drum vigorously before use. Close container after the required quantity has been poured off. Mix with an about equal volume of water to prepare the slurry. The amount of water to be admixed depends on the type of seed. The final volume of mixture must be just right to ensure a light, overall, even covering film. Do not leave prepared slurry in the applicator overnight.

CROP AND DISEASE	MERPAN SC CONCENTRATE / 100 KG SEED	REMARKS
MAIZE Cob and Tassel smut, Damping off, Seed decay and other externally borne diseases	225 <i>ml</i>	
SORGHUM Covered smut, Damping off, Seed decay and other externally borne diseases	240 <i>ml</i>	
WHEAT Stinking smut, Flag smut, Damping off, Seed decay and other externally borne diseases	120 <i>ml</i>	
COTTON Root rot, Boll rot, Anthracnose	360 <i>ml</i> 180 <i>ml</i>	Machine delinted seed Acid delinted seed
VEGETABLES, ORNAMENTALS, FLOWERS Damping off, Seed decay and other externally borne diseases	120 – 240 <i>ml</i>	

WAARSKUWINGS

Moenie toedien op saad wat vir voedseldoeleindes gebruik sal word nie.

Bêre weg van voesel en voer. Berg in 'n koel, droë vertrek en beskerm teen hoë temperature. Hou buite bereik van kinders, oningeligte persone en diere.

Alhoewel hierdie middel omvattend onder 'n groot verskeidenheid toestande getoets is, waarborg die registrasiehouer nie dat dit onder alle toestande doeltreffend sal wees nie aangesien die werking en effek daarvan beïnvloed kan word deur faktore soos abnormale klimaats- en bergingstoestande; kwaliteit van verdunningswater; verenighbaarheid met ander stowwe wat nie op die etiket aangedui is nie en die voorkoms van weerstand van die siekte teen die betrokke middel sowel as die metode, tyd en akkuraatheid van toediening. Verder aanvaar die registrasiehouer nie verantwoordelikheid vir skade aan gewasse, plantegroei, die omgewing of vir nadelige effek op mens en dier of vir 'n gebrek aan prestasie van die betrokke middel as gevolg van die versuim deur die gebruiker om etiketaanwysings na te kom of as gevolg van die ontstaan van toestande wat nie kragtens die registrasie voorsien kon word nie. Raadpleeg die verskaffer in geval van enige onsekerheid.

VOORSORGMAATREËLS

Was deeglik na gebruik. Voorkom besoedeling van voesel, voer, drinkwater en eetgerei.

BELANGRIK: UITSPOEL VAN HOUER – DRIEDUBBELE UITSPOELING: Keer die leë houer om oor die spuittenk of mengbak en dreineer vir minstens 30 sekondes nadat die vloeï tot 'n gedrup verminder het. Spoel die houer daarna drie keer uit met 'n volume water gelykstaande aan 'n minimum van 10 % van die houer. Gooi die spoelwater by die inhoud van die spuittenk voordat die houer op die voorgeskrewe wyse vernietig word. Vernietig leë houer deur gate daarin te maak en plat te druk. Moet vir geen ander doel gebruik word nie.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI

Skud die houer deeglik voor gebruik. Maak die houer dadelik toe nadat die benodigde hoeveelheid afgegiet is. Meng met 'n ongeveer gelyke hoeveelheid water om die vlodder te berei. Die hoeveelheid water wat bygevoeg word, hang af van die aard van die saad. Die finale volume van die mengsel moet voldoende wees om 'n ligte algehele en eweredige deklaag te verseker. Moenie aangemaakte vlodder oornag in die toedieningsapparaat laat staan nie.

GEWAS EN SIEKTE	MERPAN SC KONSENTRAAT / 100 KG SEED	OPMERKINGS
MIELIES Kop- en Pluimbrand, Saailingsverwelksiektes, Saadverrottings- en ander uitwendig gedraagde siektes	225 <i>ml</i>	
SORGHUM Bedektebrand, Saailingverwelksiektes, Saadverrottings- en ander uitwendig gedraagde siektes	240 <i>ml</i>	
BROODKORING Stinkbrand, Tulpbrand, Saailingverwelksiektes, Saadverrottings- en ander uitwendige gedraagde siektes	120 <i>ml</i>	
KATOEN Wortelvrot, Bolvrot, Antraknose	360 <i>ml</i> 180 <i>ml</i>	Masjienontveselde saad Suur ontveselde saak
GROENTE, SIERPLANTE, BLOMME Saailingverwelksiektes, Saadverrottings- en ander uitwendige gedraagde siektes	120 – 240 <i>ml</i>	