

## WARNINGS

- Poisonous to fish
- Do not store or use near open flames
- Store away from food and feed
- Can be irritating to eyes and skin
- Keep out of reach of children, uninformed persons and animals

**Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of the dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of weeds against the remedy concerned as well as by the method time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.**

## PRECAUTIONS

- Adhere to the precautions as appearing on the label of the product MCW EOS is mixed with.
- Prevent continuous prolonged skin contact. If skin is accidentally contaminated wash with soap and water. Wash contaminated clothing
- Wear rubber gloves and face shield protection when handling the concentrate
- Do not eat, drink or smoke when mixing or using the product or before hands and face are washed.
- Prevent contamination of food, feed, water and eating utensils
- Do not apply over water or allow the spray to drift over water
- Rinse the empty container three times with a volume of water equal to at least 10 % to that of the container. Add the rinsings to the spray tank.
- Destroy the empty container by perforating and flattening it. Do not re-use the container for any other purpose.

**DIRECTIONS FOR USE:  
USE ONLY AS DIRECTED**

## USE RESTRICTIONS

- Do not apply when temperature is very low (0°C) or very high (35°C)
- Do not use with any product containing sulphur
- Do not use in combination with any other adjuvant

## APPLICATION RATE

Use 500 ml per 100 ℓ spray mixture or 0,5 % solution.